## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

- 1-64 (Cancelled)
- 65. (Currently Amended) A lip makeup composition comprising at least one cosmetically acceptable organic liquid medium and at least one styrene-free filmforming <u>linear</u> block ethylenic polymer, wherein the lip makeup composition has a resistive index of greater than or equal to 80%,

and further wherein the at least one styrene-free film-forming <u>linear</u> block ethylenic polymer has a polydispersity index of greater than [[2]]2.5 and comprises at-least one a first block and at least one a second block, wherein the at least one first block and the at least one second block are connected together via at least one first block and at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the second block, said at least one intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of the first block to the glass transition temperature of the second block, and the at least one first block is chosen from:

- a) a block with a Tg of greater than or equal to 40 ℃,
- b) a block with a Tg of less than or equal to 20 ℃,
- a block with a Tg from greater than 20 to less than 40 ℃,

and the at-least-one second block is chosen from a category a), b) or c) different from the at-least-one first block.

66. (Currently Amended) A lip makeup composition comprising at least one cosmetically acceptable organic liquid medium and at least one non-elastomeric filmforming <u>linear</u> block ethylenic polymer, wherein the lip makeup composition has a resistive index of greater than or equal to 80%,

and further wherein the at least one non-elastomeric film-forming linear block ethylenic polymer has a polydispersity index of greater than [[2]] or equal to 2.5 and comprises at least one a first block and at least one a second block, wherein the at least one first block and the at least one second block are connected together via at least one an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the second block, said at least one intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of the first block to the glass transition temperature of the second block, and the at least one-first block is chosen from:

- a) a block with a Tg of greater than or equal to 40 °C,
- b) a block with a Tg of less than or equal to 20 ℃,
- c) a block with a Tg from greater than 20 to less than 40  $^{\circ}$ C,

(Previously Presented) The lip makeup composition according to Claim 65
 wherein the lip makeup composition has a resistive index of greater than or equal to

(Previously Presented) The lip makeup composition according to Claim
 wherein the lip makeup composition has a resistive index of greater than or equal to

69. (Previously Presented) The lip makeup composition according to Claim 65 wherein the at least one block ethylenic polymer is not soluble at a content of at least 1% by weight in water or in a mixture of water and of linear or branched lower monoalcohols containing from 2 to 5 carbon atoms, without pH modification, at room temperature (25 °C).

70. (Cancelled)

71. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one first block and the at-least-second block are such that the difference between the glass transition temperatures (Tg) of the at-least-one first block and the at-least-one second block is greater than 10 ℃.

72. (Currently Amended) The lip makeup composition according to Claim 71, wherein the at least one first block and the at least second block are such that the difference between the glass transition temperatures (Tg) of the at least one first block and the at least one second block is greater than 40°C.

73. (Cancelled)

- 74. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at least one first block and the at least one second block of the at least one block ethylenic polymer are mutually incompatible.
  - 75. (Cancelled)
- 76. (Previously Presented) The lip makeup composition according to Claim65, wherein the at least one block ethylenic polymer has a polydispersity index ranging from 2.8 to 6.
  - 77. (Cancelled)
- 78. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at least one block ethylenic polymer comprises at least one first block has [[with]] a glass transition temperature (Tg) of greater than or equal to 40 °C and the at least one second block with a glass transition temperature of less than or equal to 20 °C.
- 79. (Currently Amended) The lip makeup composition according to Claim 78, wherein the proportion of the at least one first block ranges from 20% to 90% by weight of the at least one block ethylenic polymer.
- 80. (Currently Amended) The lip makeup composition according to Claim 79, wherein the proportion of the at least one first block ranges from 50% to 70% by weight of the at least one block ethylenic polymer.
- 81. (Currently Amended) The lip makeup composition according to Claim 78, wherein the proportion of the at-least-one second block with a Tg of less than or equal to 20 °C ranges from 5% to 75% by weight of the at least one block ethylenic polymer.

- 82. (Currently Amended) The lip makeup composition according to Claim 81, wherein the proportion of the at-least-one second block with a Tg of less than or equal to 20 °C ranges from 25% to 45% by weight of the at least one block ethylenic polymer.
- 83. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one-block-polymer-comprises at-least-one first block has [[with]] a glass transition temperature (Tg) of between 20 and 40 °C and at-least-one the second block has [[with]] a glass transition temperature of less than or equal to 20 °C or a glass transition temperature of greater than or equal to 40 °C.
- 84. (Currently Amended) The lip makeup composition according to Claim 83, wherein the proportion of the at least one first block with a Tg of between 20 and 40 °C ranges from 10% to 85% by weight of the at least one block ethylenic polymer.
- 85. (Currently Amended) The lip makeup composition according to Claim 84, wherein the proportion of the at-least-one first block with a Tg of between 20 and 40 °C ranges from 50% to 70% by weight of the at least one block ethylenic polymer.
- 86. (Currently Amended) The lip makeup composition according to Claim 83, wherein the at-least-one second block has a Tg of greater than or equal to 40 °C.
- 87. (Currently Amended) The lip makeup composition according to Claim 83, wherein the proportion of the at-least-one second block with a Tg of greater than or equal to 40 °C ranges from 10% to 85% by weight of the at least one block ethylenic polymer.
- (Currently Amended) The lip makeup composition according to Claim 87,
   wherein the proportion of the at-least-one second block with a Tq of greater than or

equal to  $40 \, ^{\circ}$  ranges from 30% to 70% by weight of the at least one film-forming linear block ethylenic polymer.

- (Currently Amended) The lip makeup composition according to Claim 83,
   wherein the at-least-one second block has a Tg of less than or equal to 20°C.
- 90. (Currently Amended) The lip makeup composition according to Claim 65, wherein the proportion of the at-least-one block with a glass transition temperature of less than or equal to 20 ℃ ranges from 20% to 90% by weight of the at least one block ethylenic polymer.
- 91. (Currently Amended) The lip makeup composition according to Claim 90, wherein the proportion of the at-least-one block with a glass transition temperature of less than or equal to 20 ℃ ranges from 50% to 70% by weight of the at least one block ethylenic polymer.
- 92. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one block with a Tg of greater than or equal to 40 °C is totally or partially derived from at least one monomer whose homopolymer has a glass transition temperature of greater than or equal to 40 °C.
- 93. (Currently Amended) The lip makeup composition according to Claim 92, wherein the at-least-one block with a Tg of greater than or equal to 40 °C is totally or partially derived from at least one monomer whose homopolymer has a glass transition temperature ranging from 60 °C to 120 °C.
- (Currently Amended) The lip makeup composition according to Claim 92,
   wherein the at-least-one block with a Tg of greater than or equal to 40 °C is a copolymer

derived from at least one monomer whose homopolymer has a glass transition temperature of greater than or equal to 40 °C.

- 95. (Previously Presented) The lip makeup composition according to Claim 92, wherein the at least one monomer whose homopolymer has a glass transition temperature of greater than or equal to 40 ℃ is chosen from the following monomers:
  - methacrylates of formula  $CH_2 = C(CH_3)$ - $COOR_1$  in which  $R_1$  is a  $C_1$  to  $C_4$  linear or branched unsubstituted alkyl group or  $R_1$  is a  $C_4$  to  $C_{12}$  cycloalkyl group,
  - acrylates of formula  $CH_2$  = CH- $COOR_2$  in which  $R_2$  is a  $C_4$  to  $C_{12}$  cycloalkyl group and
  - (meth)acrylamides of formula:

in which  $R_7$  and  $R_8$ , which may be identical or different, are chosen from hydrogen atoms and  $C_1$  to  $C_{12}$  linear or branched alkyl groups; or  $R_7$  is hydrogen and  $R_8$  is a 1.1-dimethyl-3-oxobutyl group, and R' is chosen from hydrogen and methyl.

- 96. (Previously Presented) The lip makeup composition according to Claim 92, wherein the at least one monomer whose homopolymer has a glass transition temperature of greater than or equal to 40 °C is chosen from methyl methacrylate, isobutyl methacrylate and isobornyl (meth)acrylate.
- 97. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at least one block with a Tg of greater than or equal to 40 °C is a homopolymer.

- 98. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one block with a Tg of less than or equal to 20 °C is totally or partially derived from at least one monomer whose homopolymer has a glass transition temperature of less than or equal to 20 °C.
- 99. (Currently Amended) The lip makeup composition according to Claim 98, wherein the at-least-one block with a Tg of less than or equal to 20 ℃ is totally or partially derived from at least one monomer whose homopolymer has a glass transition temperature ranging from -50 ℃ to 0 ℃.
- 100. (Previously Presented) The lip makeup composition according to Claim 98, wherein the at least one monomer whose homopolymer has a glass transition temperature of less than or equal to 20 ℃ is chosen from the following monomers:
  - acrylates of formula CH2 = CHCOOR3, wherein

 $R_3$  is a linear or branched  $C_1$  to  $C_{12}$  unsubstituted alkyl group, with the exception of the tert-butyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;

- methacrylates of formula  $CH_2 = C(CH_3)$ -COOR<sub>4</sub>, R<sub>4</sub> is a linear or branched C<sub>6</sub> to C<sub>12</sub> unsubstituted alkyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;
- vinyl esters of formula R5-CO-O-CH = CH2 in which R5 is a linear or branched C4 to C12 alkyl group,
- C<sub>4</sub> to C<sub>12</sub> alkyl vinyl ethers; and
- N-(C4 to C12) alkyl acrylamides.
- (Previously Presented) The lip makeup composition according to Claim
   wherein the at least one monomer whose homopolymer has a glass transition

temperature of less than or equal to  $20 \, ^{\circ}$ C is chosen from alkyl acrylates whose alkyl chain contains from 1 to 10 carbon atoms, with the exception of the tert-butyl group.

- 102. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one block with a glass transition temperature of less than or equal to 20 °C is a homopolymer.
- 103. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one block with a Tg from greater than 20 °C to less than 40 °C is totally or partially derived from at least one monomer whose homopolymer has a glass transition temperature ranging from 20 °C to 40 °C.
- 104. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one block with a Tg from greater than 20 ℃ to less than and 40 ℃ is a homopolymer of a monomer chosen from n-butyl methacrylate, cyclodecyl acrylate, neopentyl acrylate arid isodecylacrylamide.
- 105. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one block with a Tg ranging from greater than 20°C to less than 40° is a copolymer totally or partially derived from:
  - at least one monomer whose homopolymer has a Tg of greater than or equal to 40  $^{\circ}\text{C}$  ; and
  - at least one monomer whose homopolymer has a Tg of less than or equal to  $20\,^\circ\!\mathrm{C}.$
- 106. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one block with a Tg ranging from greater than 20℃ to less than 40℃ is totally or partially derived from at least one monomer chosen from methyl

methacrylate, isobornyl (meth) acrylate, trifluoroethyl methacrylate, butyl acrylate and 2ethylhexyl acrylate.

- 107. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at least one first block and/or the at least one second block comprise(s) at least one additional monomer.
- 108. (Previously Presented) The lip makeup composition according to Claim 107, wherein the at least one additional monomer is chosen from hydrophilic monomers, and monomers containing ethylenic unsaturation comprising one or more silicon atoms.
- 109. (Previously Presented) The lip makeup composition according to Claim107. wherein the at least one additional monomer is chosen from:
- ethylenically unsaturated monomers comprising at least one carboxylic or sulfonic acid function.
  - methacrylates of formula CH<sub>2</sub> = C(CH<sub>3</sub>)-COOR<sub>6</sub>

in which  $R_6$  is a linear or branched  $C_1$  to  $C_4$  alkyl group, the said alkyl group being substituted with at least one substituent chosen from hydroxyl groups and halogen atoms,

- methacrylates of formula CH<sub>2</sub> = C(CH<sub>3</sub>)-COOR<sub>9</sub>,

in which  $R_9$  is a linear or branched  $C_6$  to  $C_{12}$  alkyl group in which at least one hetero atoms chosen from O, N and S is (are) optionally intercalated, the said alkyl group being substituted with at least one substituent chosen from hydroxyl groups and halogen atoms;

acrylates of formula CH<sub>2</sub> = CHCOOR<sub>10</sub>,

in which  $_{\rm R_{10}}$  is a linear or branched  $C_1$  to  $C_{12}$  alkyl group substituted with at least one substituent chosen from hydroxyl groups and halogen atoms, or

 $R_{10}$  is a  $C_1$  to  $C_{12}$  alkyl-O-POE (polyoxyethylene) with repetition of the oxyethylene unit 5 to 30 times, or

 $\ensuremath{R_{10}}$  is a polyoxyethylenated group comprising from 5 to 30 ethylene oxide units; and

- ethylenically unsaturated monomers comprising at least one tertiary amine function
- 110. (Previously Presented) The lip makeup composition according to Claim 107, wherein the at least one additional monomer is chosen from acrylic acid, methacrylic acid and trifluoroethyl methacrylate.
- 111. (Currently Amended) The lip makeup composition according to Claim 107, wherein the at least one additional monomer is present in an amount ranging from 1% to 30% by weight relative to the total weight at least one block ethylenic polymer of the first block and/or the second block.
- 112. (Currently Amended) The lip makeup composition according to Claim 65, wherein the at-least-one first block and the at-least-one second block comprise at least one monomer chosen from (meth)acrylic acid esters, and optionally at least one monomer chosen from (meth)acrylic acid, and mixtures thereof.
- 113. (Currently Amended) The lip makeup composition according to Claim 65, wherein each of the at least-one first block and the at least-one second block is totally derived from at least one monomer chosen from (meth)acrylic acid esters, and

optionally from at least one monomer chosen from (meth)acrylic acid, and mixturesthereof.

- 114. (Previously Presented) The lip makeup composition according to Claim66, wherein the at least one block polymer is styrene-free.
- 115. (Previously Presented) The lip makeup composition according to Claim 65, wherein the at least one block ethylenic polymer has a weight-average mass (Mw) of less than or equal to 300,000.
- 116. (Previously Presented) The lip makeup composition according to Claim115, wherein the at least one block ethylenic polymer has a weight-average mass (Mw) ranging from 45.000 to 150.000.
- 117. (Previously Presented) The lip makeup composition according to Claim65, wherein the at least one block ethylenic polymer has a number-average mass (Mn)of less than or equal to 70,000.
- 118. (Previously Presented) The lip makeup composition according to Claim 117, wherein the at least one block ethylenic polymer has a number-average mass (Mn) ranging from 12,000 to 50,000.
- 119. (Previously Presented) The lip makeup composition according to Claim65, wherein the at least one block ethylenic polymer is not an elastomer.
- 120. (Previously Presented) The lip makeup composition according to Claim65, wherein the at least one block ethylenic polymer is present in an amount ranging from 0.1% to 60% by weight relative to the total weight of the composition.

- 121. (Previously Presented) The lip makeup composition according to Claim120, wherein the at least one block ethylenic polymer is present in an amount ranging from 1% to 40% by weight relative to the total weight of the composition.
- 122. (Previously Presented) The lip makeup composition according to Claim65, further comprising at least one volatile oil.
- 123. (Previously Presented) The lip makeup composition according to Claim 122, wherein the at least one volatile oil is chosen from octamethylcyclotetrasiloxane, decamethylcyclopentasiloxane, dodecamethylcyclohexasiloxane, heptamethylcyclohexasiloxane, octamethyltrisiloxane, decamethyltetrasiloxane, isododecane, isodecane and isohexadecane.
- 124. (Previously Presented) The lip makeup composition according to Claim122, wherein the at least one volatile oil is present in an amount ranging from 1% to70% by weight relative to the total weight of the composition.
- 125. (Previously Presented) The lip makeup composition according to Claim124, wherein the at least one volatile oil is present in an amount ranging from 10% to35% by weight relative to the total weight of the composition.
- 126. (Previously Presented) The lip makeup composition according to Claim65, further comprising a non-volatile oil.
- 127. (Previously Presented) The lip makeup composition according to Claim
  126, wherein the non-volatile oil is chosen from hydrocarbon-based non-volatile oils and silicone non-volatile oils.

- 128. (Previously Presented) The lip makeup composition according to Claim 126, wherein the non-volatile oil is present in an amount ranging from 1% to 80% by weight relative to the total weight of the composition.
- 129. (Previously Presented) The lip makeup composition according to Claim128, wherein the non-volatile oil is present in an amount ranging from 20% to 50% by weight relative to the total weight of the composition.
- 130. (Previously Presented) The lip makeup composition according to Claim65, further comprising at least one fatty substance that is solid at room temperature and chosen from waxes, pasty fatty substances and gums.
- 131. (Previously Presented) The lip makeup composition according to Claim65, wherein the lip makeup composition further comprises from 0.1% to 50% by weight of waxes relative to the total weight of the composition.
- 132. (Previously Presented) The lip makeup composition according to Claim131, wherein the lip makeup composition further comprises from 1% to 30% of waxes by weight relative to the total weight of the composition.
- 133. (Previously Presented) The lip makeup composition according to Claim65, further comprising at least one dyestuff.
- 134. (Previously Presented) The lip makeup composition according to Claim 65, further comprising at least one cosmetic ingredient chosen from additional filmforming polymers, vitamins, thickeners, trace elements, softeners, sequestering agents, fragrances, acidifying and basifying agents, preserving agents, sunscreens, surfactants and antioxidants.

- 135. (Previously Presented) The lip makeup composition according to Claim65, wherein the lip makeup composition is in the form of a paste or a stick.
- 136. (Previously Presented) The lip makeup composition according to Claim65, wherein the lip makeup composition is in anhydrous form.
  - 137. (Withdrawn Currently Amended) A cosmetic assembly comprising:
- a) at least one container delimiting at least one compartment, the at least one container being closed by a closing member; and
- b) a lip makeup composition placed inside the at least one compartment, wherein the lip makeup composition comprises:

at least one cosmetically acceptable organic liquid medium, and at least one styrene-free film-forming <u>linear</u> block ethylenic polymer,

wherein the lip makeup composition has a resistive index of greater than or equal to 80%,

and further wherein the at least one styrene-free film-forming linear block ethylenic polymer has a polydispersity index of greater than [[2]] or equal to 2.5 and comprises at-least-one a first block and at-least-one a second block, wherein the at-least-one effirst block and the at-least-one second block are connected together via at-least-one an intermediate block comprising at least one constituent monomer of the at-least-one first block and at least one constituent monomer of the at-least-one second block, wherein the at-least one constituent monomer of the first block differs from the at-least one constituent monomer of the second block, said at-least-one intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of

the first block to the glass transition temperature of the second block, and the at-leastene first block is chosen from:

- a) a block with a Tg of greater than or equal to 40 °C,
- b) a block with a Tg of less than or equal to 20℃,
- c) a block with a Tg from greater than 20 to less than 40 °C,

and the at-least one second block is chosen from a category a), b) or c) different from the at-least one first block.

- 138. (Withdrawn Currently Amended) A cosmetic assembly comprising:
- a) at least one container delimiting at least one compartment, the at least one container being closed by a closing member; and
- b) a lip makeup composition placed inside the at least one compartment, wherein the lip makeup composition comprises:

at least one cosmetically acceptable organic liquid medium, and at least one non-elastomeric film-forming <u>linear</u> block ethylenic polymer,

wherein the lip makeup composition has a resistive index of greater than or equal to 80%.

and further wherein the at least one non-elastomeric film-forming linear block ethylenic polymer has a polydispersity index of greater than [[2]] or equal to 2.5 and comprises at-least-one a first block and at-least-one a second block, wherein the at-least-one first block and the at-least-one second block are connected together via at-least-one an intermediate block comprising at least one constituent monomer of the at-least-one first block and at least one constituent monomer of the at-least-one second block.

wherein the at least one constituent monomer of the first block differs from the at least one constituent monomer of the second block, said at least one intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of the first block to the glass transition temperature of the second block, and the at least-ene first block is chosen from:

- a) a block with a Tg of greater than or equal to 40 ℃,
- b) a block with a To of less than or equal to 20 ℃.
- c) a block with a Tg from greater than 20 to less than 40 °C, and the at least-one second block is chosen from a category a), b) or c) different from the at least-one first block.
- 139. (Withdrawn Previously Presented) The cosmetic assembly according to Claim 137, wherein the at least one container is at least partially formed from at least one thermoplastic material.
- 140. (Withdrawn Previously Presented) The cosmetic assembly according to Claim 137, wherein the at least one container is at least partially formed from at least one non-thermoplastic material.
- 141. (Withdrawn Previously Presented) The cosmetic assembly according to Claim 137, wherein in the closed position of the at least one container, the closing member is screwed onto the container.
- 142. (Withdrawn Previously Presented) The cosmetic assembly according to Claim 137, wherein in the closed position of the at least one container, the closing member is coupled to the at least one container by click-fastening, bonding or welding.

143. (Withdrawn - Currently Amended) A cosmetic process for making up the lips, comprising applying a lip makeup composition to the lips, wherein the lip makeup composition comprises:

at least one cosmetically acceptable organic liquid medium, and

at least one styrene-free film-forming linear block ethylenic polymer,
wherein the lip makeup composition has a resistive index of greater than or equal to 80%.

and further wherein the at least one styrene-free film-forming linear block ethylenic polymer has a polydispersity index of greater than [[2]] or equal to 2.5 and comprises at least one a first block and at least one a second block, wherein the at least one first block and the at least one second block are connected together via at least one an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the second block, said at least one intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of the first block to the glass transition temperature of the second block, and the at least one first block is chosen from:

- a) a block with a Tg of greater than or equal to 40 °C,
- b) a block with a Tg of less than or equal to 20 ℃,
- c) a block with a Tg from greater than 20 to less than 40°C,

144. (Withdrawn - Currently Amended) A cosmetic process for making up the lips, comprising applying a lip makeup composition to the lips wherein the lip makeup composition comprises:

at least one cosmetically acceptable organic liquid medium, and at least one non-elastomeric film-forming <u>linear</u> block ethylenic polymer, wherein the lip makeup composition has a resistive index of greater than or equal to 80%

and further wherein the at least one styrene-free film-forming linear block ethylenic polymer has a polydispersity index of greater than [[2]] or equal to 2.5 and comprises at least one a first block and at least one a second block, wherein the at least one first block and the at least one second block are connected together via at least one an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the second block, said at least one intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of the first block to the glass transition temperature of the second block, and the at least one first block is chosen from:

- a) a block with a To of greater than or equal to 40 °C.
- b) a block with a Tg of less than or equal to 20 ℃,
- c) a block with a Tg from greater than 20 to less than 40°C,

145. (Withdrawn - Currently Amended) A method for obtaining a lip makeup composition that provides a deposit on the lips that has good resistance, said method comprising including in the lip makeup composition

at least one cosmetically acceptable organic liquid medium, and

at least one styrene-free film-forming linear block ethylenic polymer,
wherein the lip makeup composition has a resistive index of greater than or equal to 80%.

and further wherein the at least one styrene-free film-forming linear block ethylenic polymer has a polydispersity index of greater than [[2]] or equal to 2.5 and comprises at least one a first block and at least one a second block, wherein the at least one first block and the at least one second block are connected together via at least one an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the second block, said at least one intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of the first block to the glass transition temperature of the second block, and the at least one first block is chosen from:

- a) a block with a Tg of greater than or equal to 40 °C,
- b) a block with a Tg of less than or equal to 20 ℃,
- c) a block with a Tg from greater than 20 to less than 40°C,

146. (Withdrawn - Currently Amended) A method for obtaining a lip makeup composition that provides a deposit on the lips that has good resistance, said method comprising including in the lip makeup composition

at least one cosmetically acceptable organic liquid medium, and at least one non-elastomeric film-forming <u>linear</u> block ethylenic polymer, wherein the lip makeup composition has a resistive index of greater than or equal to 80%.

and further wherein the at least one styrene-free film-forming linear block ethylenic polymer has a polydispersity index of greater than [[2]] or equal to 2.5 and comprises at least one a first block and at least one a second block, wherein the at least one first block and the at least one second block are connected together via at least one an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the first block differs from the at least one constituent monomer of the second block, said at least one intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of the first block to the glass transition temperature of the second block, and the at least one first block is chosen from:

- a) a block with a Tg of greater than or equal to 40 °C,
- b) a block with a Tg of less than or equal to 20 ℃,
- c) a block with a Tg from greater than 20 to less than 40°C,

147. (Currently Amended) The lip makeup composition according to Claim 78, wherein the at least one first block and the at least one second block are copolymers derived from monomers chosen from isobornyl (meth)acrylate, isobutyl acrylate and acrylic acid.